

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("6078582") or ("6546003") or ("20010006519") or ("20010055299")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/16 09:19
L2	3	1 and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L3	2367	(select\$3 or choos\$3 or assign\$4 or determin\$5) with (region or domain or compression near3 (algorithm or technique or mechanism or method)) near10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) with (location or address) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
L4	5088	(select\$3 or choos\$3 or assign\$4 or determin\$5) with (region or area or compression near3 (algorithm or technique or mechanism or method)) near10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) with (location or address) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:26
L5	1110	4 and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:25
L6	98	5 and (region or area) near5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:43
L7	3	5 and (network or subnet) near10(region or area) near5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:41
L8	3	5 and (network or subnet) near10(region or area or regional or aerial) near5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:43

L9	25	5 and (based or accord\$4 or correspond\$3 or depend\$3) adj10 (region or area) near5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:13
L10	29	5 and (based or accord\$4 or correspond\$3 or depend\$3) adj10 (region or area regional or aerial or destination or target) near5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:45
L11	7	10 and ("709"/\$3 or "370"/\$7 or "379"/\$7).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:45
L12	0	4 and (select\$3 or choos\$3 or using or use) with codec near5 (based or accord\$4 or correspond\$3 or depend\$3) near5 bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:14
L13	0	4 and codec near5 (based or accord\$4 or correspond\$3 or depend\$3) adj5 bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:15
L14	3	4 and (select\$3 or choos\$3 or using or use) near10 (based or accord\$4 or correspond\$3 or depend\$3) adj5 bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:15
S1	1893	(select\$3 or choos\$3 or assign\$4 or determin\$5) with (region or compression near3 (algorithm or technique or mechanism or method)) near10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) with (location or address) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:30
S2	2363	(select\$3 or choos\$3 or assign\$4 or determin\$5) with (region or domain or compression near3 (algorithm or technique or mechanism or method)) near10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) with (location or address) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22

S3	103	S2 and network and request\$3 adj5 (network adj2 address or IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:38
S4	2	S2 and network and request\$3 adj5 (network adj2 address or IP) and codec and voice near10 (IP or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:39
S5	150	S2 and network and request\$3 near10 (network adj2 address or IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:38
S6	2	S5 and network and request\$3 adj5 (network adj2 address or IP) and codec and voice near10 (IP or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:48
S7	3	S5 and network and request\$3 adj5 (network adj2 address or IP) and codec	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:41
S8	1761	(select\$3 or choos\$3 or assign\$4 or determin\$5) near20 (based or accord\$4 or depend\$3 or correspond\$3 or associated) adj5 bandwidth and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:41
S9	10	S5 and network and request\$3 adj5 (network adj2 address or IP) and (compression or codec) and (voice or audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:47
S10	5081	(select\$3 or choos\$3 or assign\$4 or determin\$5) with (region or area or compression near3 (algorithm or technique or mechanism or method)) near10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) with (location or address) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
S11	5	S10 and network and request\$3 adj5 (network adj2 address or IP) and (compression or codec) and (voice or audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:47

S13	14	S9 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:48
S14	9	S13 and voice near10 (IP or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/08 17:48